

VIET NAM

WHO GLOBAL TE

Organization
WHO GLOBAL TB REPORT 2020

World Health

POPULATION: 96 MILLION

2019

170 000 FELL ILL WITH TB (108 000 - 246 000)



103 000 people with TB notified (new and relapse)



67 000 people not notified or not diagnosed


11 000 TB DEATHS

(7700 - 16000)


including 2 000 deaths among people with HIV



TB INCIDENCE 2000-2019



TB MORTALITY 2000-2019 (EXCLUDES PEOPLE WITH HIV)



TREATMENT

TB treatment coverage



2025 90% End TB operational target



DRUG-RESISTANT TB

Estimate **8 400**

(5 300 – 12 000)

people fell ill with drug-resistant TB



3 234 laboratory confirmed

3 014 started on

second-line treatment

TB/HIV

5 500

(3500 - 8000)

people living with HIV fell ill with TB



2 865 notified

9 249

2 368
notified and on
antiretroviral treatment

TB PREVENTIVE TREATMENT



HIV-positive people (newly enrolled in care) on TB preventive treatment



3 239 children (aged <5 years) household contacts of bacteriologically confirmed TB cases on TB preventive treatment



(aged > 5 years) household contacts of bacteriologically confirmed TB cases on TB preventive treatment*

TB CATASTROPHIC COSTS

Year of survey: 2016



63%

TB patients facing catastrophic total costs

TB FINANCING 2020



TB-<mark>SDG</mark> MONITORING FRAMEWORK

Population living below the international poverty line (% of population)

2%

Household health expenditure > 10% of total expenditure/income (% of population)

9.4%

UHC index of essential service coverage

75

Population covered by social protection floors/systems (% of population)

35%

Monitoring of the above indicators can be used to identify key influences on the TB epidemic at national level and inform the multisectoral actions required to end TB.

Number of TB cases attributable to 5 risk factors

